



## ® Material Safety Data Sheet

### The Armor All/STP Products Company

44 Old Ridgebury Road  
Suite 300  
Danbury, CT 06810  
Tel. 1-203-205-2900

### 1. Product And Company Identification

**Product Name:** Armor All ® Extreme Wheel & Tire Cleaner

**Responsible Party:** The Armor All/STP Products Company  
44 Old Ridgebury Road  
Suite 300  
Danbury, CT 06810

**Information Phone Number:** +1 203-205-2900

**Emergency Phone Number:**

For Medical Emergencies, call 1-866-949-6465 / +1 303-389-1332 (Outside US and Canada)  
For Transportation Emergencies, call 1-800-424-9300 (Chemtrec) +1-703-527-3887 for  
Outside US and Canada (call collect)

**MSDS Date Of Preparation:** 09/22/2014

**Product Use:** Auto cleaning product – For consumer use

### 2. Hazards Identification

#### EMERGENCY OVERVIEW

WARNING: Causes severe eye irritation. May cause skin irritation.

### 3. Composition/Information On Ingredients

Component	CAS No.	Amount
Diethylene glycol monobutyl ether	112-34-5	1-5%
Lauramidopropylamide Oxide	61792-31-2	<2%
Tetrapotassium EDTA	5964-35-2	<2%
Sodium Metasilicate	6834-92-0	<1%
Non-hazardous Ingredients	Mixture	Balance

### 4. First Aid Measures

**Inhalation:** If symptoms of exposure develop, remove to fresh air. Seek medical attention if symptoms persist.

**Skin Contact:** Rinse exposed skin with large amounts of water. If skin irritation or redness develops, seek medical attention.

**Eye Contact:** Flush eyes with large amounts of water for 15 minutes. If irritation or other symptoms persist, seek medical attention.

**Ingestion:** DO NOT induce vomiting. If the victim is fully conscious, have them rinse their mouth with water. Get medical assistance by calling a doctor or poison center. Never give anything by mouth to a person who is unconscious or drowsy.

### 5. Firefighting Measures

**Extinguishing Media:** Use any media that is suitable for the surrounding fire. Cool fire exposed containers with water.



## ® Material Safety Data Sheet

### **The Armor All/STP Products Company**

44 Old Ridgebury Road  
Suite 300  
Danbury, CT 06810  
Tel. 1-203-205-2900

**Special Fire Fighting Procedures:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

**Unusual Fire Hazards:** Closed containers may rupture if exposed to extreme heat.

**Hazardous Combustion Products:** Thermal decomposition may release oxides of carbon and nitrogen, and ammonia.

### **6: Accidental Release Measures**

**Personal Precautions:** Wear appropriate protective equipment.

**Environmental Precautions:** Prevent entry in storm sewers and waterways. Report spill as required by local and national regulations.

**Methods for Containment and Clean-Up:** Absorb with an inert material. Collect into a suitable container for disposal. Rinse area with water.

### **7. Handling and Storage**

Do not get in eyes. Avoid contact with skin and clothing. For prolonged use or sensitive skin wear rubber gloves. Rinse exposed skin with water after use. Keep out of the reach of children.

No special storage required.

### **8. Exposure Controls / Personal Protection**

CHEMICAL	EXPOSURE LIMIT
Diethylene glycol monobutyl ether	35 ppm TWA manufacturer recommended
Lauramidopropylamide Oxide	None Established
Tetrapotassium EDTA	None Established
Sodium Metasilicate	None Established
Non-hazardous Ingredients	None Established

**Ventilation:** General ventilation should be adequate for all normal use.

**Respiratory Protection:** None required under normal use conditions.

**Gloves:** None normally required. Avoid prolonged skin contact. Impervious gloves such as rubber, neoprene or nitrile can be used if needed to avoid prolonged or repeated skin contact.

**Eye Protection:** Safety glasses or goggles are recommended if eye contact is possible.

**Other Protective Equipment/Clothing:** None required under normal use conditions.

### **9. Physical and Chemical Properties**

**Appearance And Odor:** Clear liquid.

**pH:** ~13

**Specific Gravity:** ~1.0



## ® Material Safety Data Sheet

### The Armor All/STP Products Company

44 Old Ridgebury Road  
Suite 300  
Danbury, CT 06810  
Tel. 1-203-205-2900

<b>Boiling Point:</b> Not determined	<b>Vapor Pressure:</b> Same as water
<b>Freezing Point:</b> Not determined	<b>Vapor Density:</b> Same as water
<b>Solubility In Water:</b> Appreciable	<b>Percent Volatile:</b> >85%
<b>Viscosity:</b> Not determined	<b>Evaporation Rate:</b> Not determined
<b>Coefficient Of Water/Oil Distribution:</b> Not determined	<b>Autoignition Temp:</b> Not applicable
<b>Flash Point:</b> Not applicable	
<b>Flammability Limits:</b> LEL: Not applicable	UEL: Not applicable

### 10. Stability and Reactivity

**Stability:** Stable

**Conditions To Avoid:** None known.

**Incompatibility:** Acids, and strong oxidizers.

**Hazardous Decomposition Products:** Thermal decomposition may release oxides of carbon and nitrogen, and ammonia.

### 11. Toxicological Information

#### **Acute Hazards:**

**Inhalation:** Inhalation of mists may cause upper respiratory tract irritation.

**Skin Contact:** May cause irritation.

**Eye Contact:** Causes severe eye irritation with redness, tearing and pain. Corneal injury is possible.

**Ingestion:** May be harmful if swallowed. Swallowing may cause gastrointestinal disturbances.

**Chronic Hazards:** Diethylene glycol monobutyl ether has caused adverse effects on the blood, liver and kidneys in laboratory animal studies.

**Medical Conditions Aggravated By Exposure:** May aggravate an existing dermatitis.

**Carcinogen:** None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH or OSHA.

#### **Acute Toxicity Values:**

Diethylene glycol monobutyl ether: LD50 Oral Rat: >5660 mg/kg; LD50 Dermal Rabbit 4000 mg/kg (est)

Sodium metasilicate: LD50 Oral Rat: 1153 mg/kg

### 12. Ecological Information

No ecotoxicity data is currently available. This product may be harmful to aquatic life if released directly to the environment.

### 13. Disposal Considerations

Dispose of in accordance with all local, state/provincial and federal regulations. Offer empty containers for recycling.



## ® Material Safety Data Sheet

### **The Armor All/STP Products Company**

44 Old Ridgebury Road  
Suite 300  
Danbury, CT 06810  
Tel. 1-203-205-2900

### **14. Transport Information**

**DOT Hazardous Materials Description:** Not Regulated

**Canadian TDG Hazardous Materials Description:** Not Regulated

**IMDG Dangerous Goods Description:** Not Regulated

### **15. Regulatory Information**

#### **United States:**

**EPA TSCA INVENTORY:** All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.

**CERCLA Section 103:** This product has no RQ. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**SARA Hazard Category (311/312):** Acute Health, Chronic Health

**SARA 313:** This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): Diethylene glycol monobutyl ether (glycol ether compound) @ < 5%.

#### **Canada:**

**Canadian WHMIS Classification:** Class D - Division 2 - Subdivision B - (Toxic material causing other toxic effects)

**Canadian Environmental Protection Act:** All of the ingredients are listed on the Canadian DSL or NDSL.

This MSDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the MSDS contains all of the information required by the CPR.

### **16. Other Information**

NFPA Rating (NFPA 704):	Health: 1	Fire: 0	Instability: 0
HMIS Rating:	Health: 2	Fire: 0	Reactivity: 0

REVISION SUMMARY: 09/22/2014 – Three year review.

DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH